

System Requirements for iQuote 10.0.0.x	
Operating System (64 bit only)	For iQuote Client or standalone installation: - Microsoft® Windows® 11 Pro For iQuote Server (standalone installation included): - Windows 10 Pro or later - Windows Server 2019 or later
AutoCAD versions for iQuote CAD APP version	Autodesk AutoCAD (not LT) 2024/2025/2026/2027
Revit versions for iQuote Revit	Autodesk Revit (not LT) 2024/2025/2026/2027
CPU Type	Basic: 2.5-2.9 GHz processor with 8 logical cores (base) Recommended: 3+ GHz processor (base), 4+ GHz (turbo) Single- or Multi-Core Intel®, Xeon®, or i-Series processor or AMD® equivalent with SSE2 technology. Highest affordable CPU speed rating recommended for iQuote Revit 1,5 gigahertz (GHz) or faster 64-bit (x64) processor for iQuote Win
Memory	For iQuote Client: 8 GB or more 16GB or more, recommended for iQuoteCAD & iQuote Revit Per iQuote Server: 16 GB or more
Disk type	SSD solid state drive recommended
Display Resolution	For iQuoteWin: 1360x768 (1920x1080 recommended) with True Color For iQuoteCAD: - Conventional Displays: 1920x 1080 with True Color - High Resolution & 4K Displays: Resolutions up to 3840 x 2160 supported on Windows 11 (with capable display card) For iQuote Revit: - Minimum: 1280 x 1024 with true color - Maximum: UltraHigh (4k) Definition Monitor

Display Card	For iQuoteWin: - Windows display adapter capable of 1360x768 with True Color capabilities and DirectX® 9 ¹. DirectX 11 compliant card recommended. For iQuoteCAD: Basic: 2 GB GPU with 29 GB/s Bandwidth and DirectX 11 compliant Recommended: 8 GB GPU with 106 GB/s Bandwidth and DirectX 12 compliant - DirectX 12 with Feature Level 12_0 is required for "Fast" visual styles to be enabled. Please be sure to use the latest drivers from the video card manufacturer's website. Note: AutoCAD uses your computer's display card for a variety of essential graphics operations including but not limited to view manipulation, line smoothing, and text/linetype generation. It is recommended that you have a display card with dedicated VRAM to support these operations at optimal speeds. For iQuoteRevit: - Display adapter capable of 24-bit color, DirectX® 11 capable graphics card with Shader Model 5. Graphics card with minimum of 4GB of video memory recommended.
Disk Space	* For installation process 10GB free space are required (on "temp" folder) additional, which will be automatically released at the end of the installation For iQuoteWin: 200Mb* For iQuoteCAD APP: 200Mb* For iQuoteCAD OEM: 4Gb* For iQuote Revit: 200Mb* For iQuote Server: Depends on how many libraries are installed (10Gb or more recommended)

.NET (Framework)	• .NET Framework 4.8 o successiva • .NET 8 o successiva (per CAD/Revit 2025/2026) • .NET 10 o successiva (per CAD/Revit 2026.1/2027)
Supported databases	• Microsoft SQL Server 2019 Express, Standard, Enterprise • Microsoft SQL Server 2022 Express, Standard, Enterprise • Microsoft SQL Server 2025 Express, Standard, Enterprise* * By default iQuoteSetup install the latest version of SQL Server Express Edition compatible with the operating system in use (for free edition, but only with database below 50 Gb, beyond which a full version must be purchased)